

Liftomatic® Drum Handling Data

© 2008 LMH, Inc.

Liftomatic Material Handling, Inc.
Online @ www.liftomatic.com
Toll-Free Hotline: 800-837-6540

Added Drum Handling Safety!



Model: L4F-QC

Liftomatic has introduced the new model L4F-QC forklift attachment for handling 1-4 drums at one time with a new "margin" of safety. The L4F-QC is fully mechanical, requiring no hydraulic or electric connections. The L4F-QC handles steel, fiber and plastic rimmed drums weighing up to 2000

pounds per drum (8000# total). The new L4F-QC also includes an automatic cam device which locks the attachment to the forklift—eliminating safety chains and the need for a driver to dismount the truck to secure the attachment to the forklift. A gravity and spring activated cam system automatically locks the attachment to the forks of the lift truck as soon as the L4F-QC is raised off the ground. The cams automatically release when the attachment is set back on firm ground. For full details on this innovative safety design, please call us at 800-837-6540 or find additional photos and specification sheets on our website at www.liftomatic.com

PM Concerns? We've got you covered!

Parts, assemblies, PM kits and more. We have them for all of your Liftomatic units. Orders placed before 12:00PM central time will be sent out that day by ground, 2nd day or overnight service. Call today for parts lists, PDF files and more, and ask us about "Service-Plus".



DCM-PMK



Volume 11, Issue 2

Special points of interest:

Locking Cam for drum safety!

Effective PM and Service!

Volatile Working Area Solutions!

Inside this issue:

Safety Locking Cam system : L4F-QC 1

Immediate parts, PM Kits and Assemblies 1

Tough Conditions! 2

Below-Hook Handling 3

Steel Drum Handling 3

Low-Volume Solutions 3

Who we are... Now and Always 4

Demanding Environments For Drum Handling

The heavy-duty line of DCM drum handling attachments from Liftomatic offer a variety of features for complete control in all loading, unloading, palletizing and general plant applications. Available in models for handling 1-4 drums at a time in a side-by-side configuration, the DCM has a rugged 2000# per drum capacity and handles all rimmed steel, plastic and fiber drums. The DCM mounts to any forklift and is completely

mechanical in nature. Double clamping Parrot-Beak® jaws hold each drum securely and padded belt-cradles offer sidewall protection to the drum(s) in motion. Spark-resistant, EE and EX configurations are also available. For more information, go online at www.liftomatic.com or call us toll-free at 800-837-6540 for full specifications and a brochure! Get better productivity and safety in your drum handling routines today!



Model: 2-DCM-BC

Customized Drum Handling Projects

Are you looking for a custom drum handling solution for a problem in your plant, lab or warehouse? Since 1947, Liftomatic has specialized in finding creative, economical solutions to handling all varieties of steel, plastic and fiber drums and containers. Armed with practical experience and the latest engineering tools,



Custom Model: 4-DCM-BC

we'll work with you to find a good solution. Tell us about your custom handling needs and let's discuss how Liftomatic's 60 years of custom experience can benefit your plant or warehouse. If it's a container and it can be lifted, we'll show you a sensible, economical way to reach your goals. Call us at 800-837-6540.

Model FTA = 100% Tough!

The Liftomatic FTA units are designed for loading, unloading, palletizing and storage of steel drums in nearly any size or configuration. 15 gallon, 30 gallon, 55 gallon— bring 'em on! With Liftomatic's exclusive "Parrot-Beak®" clamping system and cushioned belt-cradles, the FTA

protects the drums during transport, provides a sure-grip every time and handles the drums safely to and from any location. Available in 1,2,3 or 4 drum models, the FTA is ideal for improving productivity and safety in all of your steel drum handling routines.



Model: 2-FTA-BC

Below Hook Drum Handling Solutions

Safe, efficient below-the-hook attachments for handling 1-8 drums at a time! Automatic and mechanical operation ensure the equipment is safe for any rimmed steel, plastic or fiber drum to be lifted. Capacities from 500 to 2500 pounds. Call us toll-free at 800-837-6540 for a brochure. You can also log on to our website at www.liftomatic.com and pull down PDF files, literature and schematics on all of the Liftomatic below hook models.



Model: BHDL



Model: 1HCB-BC

Light duty? Low Volume? No Problem!



Model: LD-1

An overlooked area of many plant and warehouse operations is the occasional need to move a few drums. Too often, an operator will try and "chime-roll" a drum or manually tip a drum, which is very dangerous. In situations which call for proper light-duty equipment, you need look no further than Liftomatic's efficient LD Series of drum han-

dling products. The simple, low-cost model LD-1 and LD-2 offer safe, convenient and productive handling of all steel, fiber and plastic drums up to 850# in weight. Call us at 800-837-6540 today for a brochure. The LD-1 and LD-2 fit on any forklift and are stock items—ready for shipment to you now!

EE / EX Rated and Spark-Resistant Equipment



Model: DCM-SRJ

Working in a hazardous, explosive or flammable environment? Liftomatic can help with our SRJ/EE/EX lines of drum handling equipment. Call a product specialist today at 800-837-6540 today to discuss your application and a viable solution. We look forward to your call.



Model: Ergo-750SRJPWPLEX

Drum Handling Has Never Been Safer And More Efficient!

***Liftomatic Material Handling,
Inc.***

***700 Dartmouth Lane
Buffalo Grove, IL 60089***

Tel: 800-837-6540

Fax: 847-325-2959

Web: www.liftomatic.com

Email: info@liftomatic.com

Drum Handling Safety is No Accident!

For over 60 years, Liftomatic has offered portable products, forklift attachments, hoist attachments and custom engineered solutions for handling steel, plastic and fiber drums from 1 to 8 drums at a time. Automatic and mechanical in nature, our Parrot-Beak® products are the safest and most durable in the industry. With design, manufacturing and sales facilities on five different continents, Liftomatic offers a single-source solution for all of your drum handling requirements. Call us toll-free at 800-837-6540 or find us at www.liftomatic.com and see firsthand how to increase safety and efficiency in your drum handling operations.