



Volume 12 Issue 2

DRUMBEAT

News for those who lift, move, dump, place and stack drums.

COST SAVINGS SPOTLIGHT!

Stop drum punctures and money leaks!

The exclusive Parrot-Beak® clamping mechanism on the Model 10HT-4W 4-wheel hand truck can be adjusted to handle all rimmed steel, fiber and plastic drum sizes from 10 to 85 gallons and weighing up to 1,000 pounds.

Two 10" main wheels with full roller bearings and two 4" swivel casters support the drum and eliminate the need for the operator to bear the load during transport. No metal feet are located at the bottom of this hand truck, which eliminates the chance of "spearing" or puncturing a drum.



Equipment breakdowns could break the bank.

Avoid costly emergency repairs and untimely delays. Keep your Parrot-Beak® drum handling units in top condition with minimal downtime.

A full range of preventive maintenance kits are assembled and available with the technician in mind.



Ranging from simple spring replacement kits to complete overhaul packages. The kits are complete with step-by-step instructions, lubricants and detailed parts listings. The kits allow the maintenance professional to maintain, upgrade and rework worn or damaged equipment to operational status in less than an hour in most cases. PM Kits keep your equipment where you want it... on the job.

Pour it on!

Let the TD-850 drum dumper assist your operator in rotating 55-gallon drums. The TD-850 allows operators to safely and smoothly mix drum contents, pour or dump them, plus control forward and reverse in the transport process.



The TD-850 can be ordered with a straddle leg configuration for approaching pallets and scales, for example, or be fully counter-balanced.

Your 55-gallon steel, fiber and plastic drums up to 850 lb. capacity are locked into a hinged, fiber-padded saddle and then raised to 60 inch total dump height. A 360° rotation radius with an anti-backlash worm gear reducer helps make all pours go smoothly and effortlessly.

Options include full battery powered lift/lower and EE and EX packages.

Day-in, Day-out, The Cost Savings Just Stack Up



No Frills. No Bells. No Whistles. The FTA drum handling attachment for steel drums is just safe, solid, and basic drum handling. The same unit can also handle plastic and fiber drums, including the ISO drum.

Padded belt-cradles™ offer protection for the drum sidewall. Optional spark-resistant and explosion-proof packages are also available.

A 12-month warranty against any defects in parts or workmanship is standard.



Customized Drum-Handling Units To Suit Your Needs

Are you looking for a custom drum handling solution for a problem in your plant, lab or warehouse? Since 1947, Liftomatic has specialized in finding creative, economical solutions to handling all varieties of steel, plastic and fiber drums. Armed with practical experience and the latest engineering tools, we'll work with you to find a good solution. Tell us about your custom drum handling needs and let's discuss how Liftomatic's 60 years of custom experience can benefit your plant or warehouse.



Customized Liftomatic L4F-CB unit designed for specialized overhead lifting and lowering of four drums.

www.liftomatic.com

Two Drums At One Time

The Liftomatic Heavy-Duty DCM fork-mounted drum handler is automatic and mechanical. It handles 1 or 2 drums in a straight-line configuration. Ideal for loading containers and trucks, the DCM handles steel, plastic and fiber drums and has a total capacity of 2000 pounds (907Kg) per drum.

Equipped with Liftomatic's exclusive "Parrot-Beak[®]" clamping system and cushioned belt-cradles, the 2-DCM is capable of loading 80 drums into a truck or container in less than 40 minutes time.

Options include non-sparking components, EE/EX ratings, Quick-Claw[®] fork locking systems and Steel-It[®] USDA-approved stainless steel coating.



Pushbutton Drum Lifting

The Ergomatic 1000-PLH-BC drum transporter from Liftomatic has a powerful electric/hydraulic lifting system that is activated by a simple pushbutton. No foot pumps or hand cranks are needed. The manually propelled unit will safely transport steel, plastic and fiber drums weighing up to 1,000 pounds. The power lift system is quiet, smooth, and available in 20" and 32" lift heights. Options include non-sparking packages, alternate coatings, and Liftomatic's exclusive "Double Parrot-Beak" clamping system for an extra margin of safety.



Liftomatic Material Handling, Inc.

700 Dartmouth Lane
Buffalo Grove, Illinois
60089, USA

T: 800.837.6540

F: 847.325.2959

Web: www.liftomatic.com

Email: info@liftomatic.com

Tough jobs demand tough equipment... Liftomatic.

All Liftomatic units are covered by a minimum of a 12-month warranty (with many up to 18 months) against any defects in workmanship.



**Find It Fast
Price It Quick
Order It *ONLINE!***

The new Liftomatic website not only covers a wide array of drum handling equipment but it is also extremely user-friendly.



www.liftomatic.com

DRUMBEAT



Liftomatic Material Handling
700 Dartmouth Lane
Buffalo Grove, Illinois 60089
T: 800.837.6540 F: 847.325.2959

Web: www.liftomatic.com
Email: info@liftomatic.com

PRSRT STD
US Postage
PAID
Evanston IL
Permit No. 198

Searching for ways to lower costs on pallet changeouts?

The LOM-4 Series of drum handling products feature a fully automatic and mechanical solution to handling all conventional rimmed steel, plastic and fiber drums. Capable of handling up to 2000 pounds per drum, 8000 pounds total, the LOM-4 Parrot-Beak® drum handlers offer increased safety, drum protection, unitized handling and pallet change-out capabilities. They are also ideal for work on conveyor and fill line applications.



Lower costs by reducing labor in high-volume drum moving applications with a LOM-4 drum handler.

